Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	0	17 and 712/214 ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/02 10:25
L11	0	17 and 712/208.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/02 10:25
L10	7	17 and 718/104 ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/02 10:25
L9	5	17 and 718/102.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/02 10:25
L6	2	11 and 712/214.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/02 10:25
L5	2	11 and 712/208.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/02 10:25
L4	3	11 and 718/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/02 10:25
L3	5	11 and 718/102.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/02 10:25
S18.	92	(schedul\$3 with (estimat\$3 predict\$3 ) with cost with (task\$3 process\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/02 10:24
L8	8	17 and "718"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/02 10:24

L7	113	(schedul\$3 with (estimat\$3 predict\$3 ) with cost with (task\$3 process\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/02 10:24
L2	8	11 and "718"/\$:ccls	US-PGPUB, USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/02 10:24
S1	53	((schedul\$3 near5 (cost\$3 optim\$5 perform\$5 static\$4 dynamic\$4)) same ((application program software task\$3 process\$3) near5 (perform\$5 run\$4 execut\$5 operat\$3))) and (schedul\$3 with static\$4 with ((cost\$3 near4 low\$3) optim\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/02 10:23
Li	53	((schedul\$3 near5 (cost\$3 optim\$5 perform\$5 static\$4 dynamic\$4)) same ((application program software task\$3 process\$3) near5 (perform\$5 run\$4 execut\$5 operat\$3))) and (schedul\$3 with static\$4 with ((cost\$3 near4 low\$3) optim\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/02 10:23



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

((schedule <near/5> (cost or optimize or perform or static or c



## THE ACH DIGITAL LIBRARY

Terms used

schedule near/5 cost or optimize or perform or static or dynamic paragraph application or program or software or task or pr

Sort results by publication date Display results expanded form

Save results to a Binder 3 Search Tips Open results in a new window

Results 81 - 100 of 200

Best 200 shown

Result page: <u>previous</u> <u>1</u> <u>2</u> <u>3</u> <u>4</u> **5** <u>6</u> <u>7</u> <u>8</u> <u>9</u>

Techniques for obtaining high performance in Java programs

Iffat H. Kazi, Howard H. Chen, Berdenia Stanley, David J. Lilia

ACM Computing Surveys (CSUR), Volume 32 Issue 3 September 2000

Full text available: pdf(816.13 KB)

Additional Information: full citation, abstract

This survey describes research directions in techniques to improve the performance of programs written in the J extensive portability of programs. A Java interpreter dynamically executes Java bytecodes, which comprise the improved through compilation, possibly at the expense of portabili ...

Keywords: Java, Java virtual machine, bytecode-to-source translators, direct compilers, dynamic compilation,

Cellular disco: resource management using virtual clusters on shared-memory multiprocessors

Kinshuk Govil, Dan Teodosiu, Yongqiang Huang, Mendel Rosenblum

August 2000

ACM Transactions on Computer Systems (TOCS), Volume 18 Issue 3

Full text available: pdf(287.05 KB)

Additional Information: full citation, abstract

Despite the fact that large-scale shared-memory multiprocessors have been commercially available for several y and cost of making the required changes to the operating system. A recently proposed approach, called Disco, s operating system technology. In this paper we present a ...

Keywords: fault containment, resource managment, scalable multiprocessors, virtual machines

Binary translation and architecture convergence issues for IBM system/390

Michael Gschwind, Kemal Ebcioğlu, Erik Altman, Sumedh Sathaye

Proceedings of the 14th international conference on Supercomputing May 2000

Full text available: pdf(1 44 MB)

Additional Information: full citation, abstract

We describe the design issues in an implementation of the ESA/390 architecture based on binary translation to a decomposed into instruction "primitives" which are then scheduled onto a wide-issue machine. The aim is to ach can be exploited by binary translation software ...

Practicing JUDO: Java under dynamic optimizations

Michał Cierniak, Guei-Yuan Lueh, James M. Stichnoth

May 2000

ACM SIGPLAN Notices, Proceedings of the ACM SIGPLAN 2000 conference on Pr

Full text available: pdf(190.06 KB)

Additional Information: full citation, abstract

A high-performance implementation of a Java Virtual Machine (JVM) consists of efficient implementation of Just-These components are tightly coupled to achieve high performance. In this paper, we present some static anddy Lab Virtual Machine (MRL VM), ...

Session summaries from the 17th symposium on operating systems principle (SOSP'99)

Jay Lepreau, Eric Eide

April 2000 ACM SIGOPS Operating Systems Review, Volume 34 Issue 2

Full text available: pdf(3.15 MB)

Additional Information: full citation, index terms

System-level power optimization: techniques and tools

Luca Benini, Giovanni de Micheli

April 2000

ACM Transactions on Design Automation of Electronic Systems (TODAES), Volume

Full text available: pdf(385,22 KB)

Additional Information: full citation, abstract

This tutorial surveys design methods for energy-efficient system-level design. We consider electronic systems con consume energy, namely computation, communication, and storage units, and we review methods of reducing t energy-efficient software design and compilation. This survery ...

Overcoming the challenges to feedback-directed optimization (Keynote Talk)

Michael D. Smith

January 2000 Full text available: Tod((1.33 MB)

ACM SIGPLAN Notices, Proceedings of the ACM SIGPLAN workshop on Dynamic

Additional Information: full citation, abstract

Feedback-directed optimization (FDO) is a general term used to describe any technique that alters a program's

affairs in FDO and discusses the challenges inhibiting further acceptance of these techniques. It also argues that immutable executables and traditional static optimizations are ...

A code-motion pruning technique for global scheduling

Luiz C. V. Dos Santos, M. J. M. Heijligers, C. A. J. Van Eijk, J. Van Eijnhoven, J. A. G. Jess

ACM Transactions on Design Automation of Electronic Systems (TODAES), Volume January 2000

Full text available: pdf(293,27,KB)

Additional Information: full extation, abstract

In the high-level synthesis of ASICs or in the code generation for ASIPs, the presence of conditionals in the behind such a way that the search space is limited by the applied heuristics. For example, they might miss opportunitie method which allows generalized code motions. Schedu ...

Keywords: code generation, code motion, global scheduling, high-level synthesis, speculative execution

Cellular Disco: resource management using virtual clusters on shared-memory multiprocessors

Kinshuk Govil, Dan Teodosiu, Yonggiang Huang, Mendel Rosenblum

December 1999

ACM SIGOPS Operating Systems Review , Proceedings of the seventeenth ACM s

Full text available: pdf(1.93 MB)

Additional Information: full cliation, abstract

Despite the fact that large-scale shared-memory multiprocessors have been commercially available for several y and cost of making the required changes to the operating system. A recently proposed approach, called Disco, s operating system technology. In this paper we present a syste ...

Static scheduling algorithms for allocating directed task graphs to multiprocessors

Yu-Kwong Kwok, Ishfaq Ahmad

December 1999

ACM Computing Surveys (CSUR), Volume 31 Issue 4



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

((schedule <near/5> (cost or optimize or perform or static or (



## THE ACH DIGITAL LIBRARY

Terms used

schedule near/5 cost or optimize or perform or static or dynamic paragraph application or program or software or task or pr

Sort results by publication date Display results expanded form

Save results to a Binder

Search Tips

Open results in a new window

Results 101 - 120 of 200

Best 200 shown

Result page: previous 1 2 3 4 5 6 7 8

101 Space/time-efficient scheduling and execution of parallel irregular computations

Tao Yang, Cong Fu November 1998

ACM Transactions on Programming Languages and Systems (TOPLAS), Volume 20 I:

Full text available: pdf(374.95 KB)

Additional Information: full citation, abstract

In this article we investigate the trade-off between time and space efficiency in scheduling and executing parallel model irregular parallelism with mixed granularity, and we use direct remote memory access to support fast cor improve memory utilization while retaining good time efficiency, and we ...

Keywords: DAG scheduling, direct remote memory access, irregular parallelism, run-time support

102 Space-time scheduling of instruction-level parallelism on a raw machine

Walter Lee, Rajeev Barua, Matthew Frank, Devabhaktuni Srikrishna, Jonathan Babb, Vivek Sarkar, Saman Amaras October 1998 Proceedings of the eighth international conference on Architectural support for I

Full text available: pdf(1.79 MB)

Additional Information: full citation, abstract

Increasing demand for both greater parallelism and faster clocks dictate that future generation architectures wil A Raw microprocessor distributes all of its resources, including instruction streams, register files, memory ports, Because communication in Raw machines is distributed, com ...

103 Automatic data layout for distributed-memory machines

Ken Kennedy, Ulrich Kremer

Full text available: pdf(633,20 KB)

ACM Transactions on Programming Languages and Systems (TOPLAS),  $\mbox{Volume 20 I}$ :

Additional Information: full citation, abstract

The goal of languages like Fortran D or High Performance Fortran (HPF) is to provide a simple yet efficient mach intellectual challenge in writing an efficient program in such languages. The performance of a data layout depen processors. This makes the choice of a good layout extremel ...

Keywords: high performance Fortran

104 Models and languages for parallel computation

David B. Skillicorn, Domenico Talia

June 1998

July 1998

ACM Computing Surveys (CSUR), Volume 30 Issue 2